



101660415

COJC

Patent 7,313,181

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,313,181

Docket No: 884.G57US1

Issue Date: December 25, 2007

Patentee: Ganesh Balamurugan et al.

Customer No.: 21186

Confirmation No.: 5839

Title CALIBRATION OF SCALE FACTOR IN ADAPTIVE EQUALIZERS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Pursuant to 1.20(a), please charge Deposit Account No. 19-0743 in the amount of \$100.00.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.


01/23/2008 SDIRETA1 00000012 190743 7313181

01 FC:1811 100.00 DA

Respectfully Submitted,


SCHWEGMAN, LUNDBERG & WOESSNER, P.A
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6900

Date : January 15, 2008

By: 
Gregory J. Gorrie
Reg. No: 36,530
GJG:raq

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 16 day of January 2008

Name



Signature

RECEIVED-USPTO
REGISTRATION
JAN 25 2008
JAN 25 2008



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ganesh Balamurugan et al.

Examiner: Panwalkar, Vineeta

Patent No.: 7,313,181

Group Art Unit: 2611

Issue Date: December 25, 2007

Docket No: 884.G57US1

Title: CALIBRATION OF SCALE FACTOR IN ADAPTIVE EQUALIZERS


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

We are transmitting herewith the attached:

- Authorization to charge Deposit Account No. 19-0743 in the amount of \$100.00 to cover the Certificate of Correction fee.
- Request for Certificate of Correction.
- Certificate of Correction Form - PTO-1050 (in duplicate)
- A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.
Customer No: 21186

By: 
Name: Gregory J. Gorrie
Reg. No.36,530
GJG:CMG:raq

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 16 day of January 2008.

Chris Hammond

Name

Chris Hammond

Signature

RECEIVED-USPTO
Patent Publication

JAN 25 2008

RECEIVED-USPTO
Patent Publication

JAN 25 .

PTO/SB/44 (02-01)
PTO/SB/44 (02-01)
Approved for use through 01/31/2004. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,313,181

Page (1) of 1

DATED : December 25, 2007

INVENTOR(S) : Balamurugan et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 31, in Claim 1, delete “[$\bar{h}(t)$]_i, + [$\delta\bar{h}(t)$]_i,” and insert - - [$\bar{h}(t)$]_i + $\delta\bar{h}(t)$]_i, - -, therefor.

In column 10, line 64, in Claim 6, delete “l_{vc},” and insert - - l_{vc}, - -, therefor.

In column 10, line 66, in Claim 6, delete “l_{vc},” and insert - - l_{vc}, - -, therefor.

In column 11, line 27, in Claim 9, delete “[$\bar{h}(t)$]_i, + [$\delta\bar{h}(t)$]_i,” and insert - - [$\bar{h}(t)$]_i + $\delta\bar{h}(t)$]_i, - -, therefor.

In column 12, line 28, in Claim 16, delete “equaliser,” and insert - - equalizer, - -, therefor.

RECEIVED USPTO
Patent & Trademark Office

JAN 25 2008

MAILING ADDRESS OF SENDER:

PATENT NO. 7,313,181

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

No. of additional copies

Atty Docket No: 884.G57US1

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,313,181

Page (1) of 1

DATED : December 25, 2007

INVENTOR(S) : Balamurugan et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 31, in Claim 1, delete “[$\bar{h}(t)$]_i, + [$\delta\bar{h}(t)$]_i,” and insert - - [$\bar{h}(t)$]_i + $\delta\bar{h}(t)$]_i, - -, therefor.

In column 10, line 64, in Claim 6, delete “l_{vc},” and insert - - l_{vc}, - -, therefor.

In column 10, line 66, in Claim 6, delete “l_{vc},” and insert - - l_{vc}, - -, therefor.

In column 11, line 27, in Claim 9, delete “[$\bar{h}(t)$]_i, + [$\delta\bar{h}(t)$]_i,” and insert - - [$\bar{h}(t)$]_i + $\delta\bar{h}(t)$]_i, - -, therefor.

In column 12, line 28, in Claim 16, delete “equaliser,” and insert - - equalizer, - -, therefor.

RECEIVED-USPTO
Patent Publication

JAN 25 2008

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

PATENT NO. 7,313,181

No. of additional copies



Atty Docket No: 884.G57US1